

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/083,372	02/27/2002	Tatsuoki Kohno	219995US0TTCRD	4786
22850 75	590 07/29/2004		EXAMINER	
OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C.			WEINER, LAURA S	
	1940 DUKE STREET ALEXANDRIA, VA 22314		ART UNIT	PAPER NUMBER
ALEEX ALVERT	1, 111 22311		1745	

DATE MAILED: 07/29/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)				
Office Action Summary		10/083,372	KOHNO ET AL.				
		Examiner	Art Unit				
		Laura S Weiner	1745				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
1)⊠ R€	1) Responsive to communication(s) filed on 17 June 2004.						
2a) 🗌 Th	This action is FINAL . 2b)⊠ This action is non-final.						
3)∏ Si	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
clo	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition	of Claims						
4)⊠ Claim(s) <u>1-4,6-8,10 and 12-15</u> is/are pending in the application.							
4a) Of the above claim(s) is/are withdrawn from consideration.							
5) Claim(s) is/are allowed.							
·	6)⊠ Claim(s) <u>1-4,6-8,10 and 12-15</u> is/are rejected.						
•	7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or election requirement.							
Application	Papers						
9) The specification is objected to by the Examiner.							
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
11)∐ I No	e oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.				
Priority und	ler 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:							
1. Certified copies of the priority documents have been received.							
2. Certified copies of the priority documents have been received in Application No							
3. Copies of the certified copies of the priority documents have been received in this National Stage							
application from the International Bureau (PCT Rule 17.2(a)).							
* See the attached detailed Office action for a list of the certified copies not received.							
Attachment(c)							
Attachment(s) 1) Notice of	References Cited (PTO-892)	4) 🔲 Interview Summary	(PTO-413)				
2) 🔲 Notice of	Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da	te				
	on Disclosure Statement(s) (PTO-1449 or PTO/SB/08) (s)/Mail Date	5) Notice of Informal Pa	atent Application (PTO-152)				

Application/Control Number: 10/083,372

Art Unit: 1745

DETAILED ACTION

Response to Arguments

1. Applicant's arguments with respect to claims 1-4, 6-8, 10, 12-15 have been considered but are most in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 112

2. Claims 7-8, 14 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 7 is rejected because "nonaqueous" should be instead "nonaqueous".

Claim 8 is rejected because there is no units cited for the average molecular weight.

Claim 14 is rejected because the claim does not further limit claims 13 and 10 from which the claim depends from. Claim 10 already cites having an macromolecular material present in the electrolyte.

Claim Rejections - 35 USC § 102

3. Claim 1 is rejected under 35 U.S.C. 102(b) as being anticipated by Kolb et al. (6,080,282).

Kolb et al. teaches in column 3, lines 20-40, an electrolytic solution comprising a polymerizable electrolyte material and a reinforcement polymer, poly(methyl methacrylate) (PMMA). Kolb et al. teaches that PMMA is used to vary the viscosity of

Application/Control Number: 10/083,372

Art Unit: 1745

the solution or mechanical properties. Kolb et al. teaches in column 7, line 36 to column 8, line 6, an electrolytic solution for use as a gel electrolyte in an electrolytic cell comprising a polymerizable electrolyte material including polyethylene oxide (PEO), a reinforcement polymer including poly(methylmethacrylate), a solvent, a salt, etc. The electrolyte solution has a viscosity in which the electrolytic solution further includes a means for controlling the viscosity. Kolb et al. teaches in column 4, lines 1-11, that the addition of PEO to the polymerizable electrolyte material may further increase the viscosity of the electrolytic solution. Kolb et al. teaches in column 3, lines 46-48, that the solvent may comprise any conventional solvent such as be propylene carbonate. Kolb et al. teaches in column 7, lines 16-28, that PMMA was varied to illustrate control over the viscosity of the electrolytic solution. A first solution had a viscosity of 2733 cps and a second solution had a viscosity of 1742 cps.

Claim Rejections - 35 USC § 103

4. Claims 2-4, 6 are rejected under 35 U.S.C. 102(e) as anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over Kolb et al. (6,080,282).

Kolb et al. teaches in column 7, line 36 to column 8, line 6, an electrolytic solution for use as a gel electrolyte in an electrolytic cell comprising a polymerizable electrolyte material including polyethylene oxide (PEO), a reinforcement polymer including poly(methylmethacrylate), a solvent, a salt, etc. The electrolyte solution has a viscosity in which the electrolytic solution further includes a means for controlling the viscosity. Kolb et al. teaches in column 4, lines 1-11, that the addition of PEO to the

Art Unit: 1745

polymerizable electrolyte material may further increase the viscosity of the electrolytic solution. Kolb et al. teaches in column 3, lines 46-48, that the solvent may comprise any conventional solvent such as be propylene carbonate. Kolb et al. teaches in column 7, lines 16-28, that PMMA was varied to illustrate control over the viscosity of the electrolytic solution. A first solution had a viscosity of 2733 cps and a second solution had a viscosity of 1742 cps.

Since Kolb et al. teaches the same nonaqueous liquid electrolyte comprising the same macromolecular material, the same nonaqueous solvent and an electrolyte, then inherently the same electrolyte having a viscosity at 20 degrees C of 7 cP to 30,000 cP or 50 cP to 10, 000 cP at a shear rate of 20 s-1 or 7 cP to 10, 000 cP at a shear rate of 20 s-1 or a fluid which exhibits non-Newtonian properties or a fluid whose apparent viscosity at 20 degrees C decreases with the increase of the shear rate or the macromolecular material has a ratio of ion conductivity to viscosity at 20 degrees C is < 0.1 must also be obtained.

In addition, the presently claimed property of electrolyte having a viscosity at 20 degrees C of 7 cP to 30,000 cP or 50 cP to 10, 000 cP at a shear rate of 20 s-1 or 7 cP to 10, 000 cP at a shear rate of 20 s-1 or a fluid which exhibits non-Newtonian properties or a fluid whose apparent viscosity at 20 degrees C decreases with the increase of the shear rate or the macromolecular material has a ratio of ion conductivity to viscosity at 20 degrees C is < 0.1 would have obviously have been present once the Kolb et al. product is provided. *In re Best, 195 USPQ 433 (CCPA 1977)*.

Application/Control Number: 10/083,372

Art Unit: 1745

5. Claims 7-8, 10, 12-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kolb et al. (6,080,282) in view of Sasaki et al. (5,556,721).

Kolb et al. teaches the claimed invention as explained above. Kolb et al. teaches in column 7, line 36 to column 8, line 6, an electrolytic solution for use as a gel electrolyte in an electrolytic cell comprising a polymerizable electrolyte material including polyethylene oxide (PEO), a reinforcement polymer including poly(methylmethacrylate), a solvent, a salt, etc. Kolb et al. teaches in column 7, lines 50-55, that the polyethylene oxide has a molecular weight of at least 300,000 and in column 7, lines 16-29, that the molecular weight of PMMA used was 996,000 and 350,000.

Kolb et al. discloses the claimed invention except for specifically teaching that the solvent contains gamma-butyrolactone.

Sasaki et al. teaches a nonaqueous electrolyte battery comprising a negative electrode, a positive electrode and a nonaqueous electrolyte. Sasaki et al. teaches in column 7, lines 47-60, that the electrolyte solution comprises an organic solvent such as gamma-butyrolactone, propylene carbonate, ethylene carbonate, etc. and a lithium ion-conductive nonaqueous electrolyte such as a solid polymer electrolyte comprising polyethylene oxide, etc.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to use gamma-butyrolactone instead of propylene carbonate in a electrolyte solution comprising polyethylene oxide because Sasaki et al. teaches that this is known in the art.

Art Unit: 1745

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Laura S Weiner whose telephone number is 571-272-1294. The examiner can normally be reached on M-F (6:30-4:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick Ryan can be reached on 571-272-1292. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Laura S Weiner Primary Examiner Art Unit 1745

July 28, 2004